

Suite	Manufacturing & Supply Chain Suite			
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)			
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic
	Operating Systems (64-bit only)			
Windows 11	✓	✓		✓
Windows 10 Enterprise & Professional (64-bit)	✓	✓		✓
Windows Server 2022 ^{33, 45}	✓ ⁴²	✓ ⁴²	✓ ⁴²	✓ ⁴²
Windows Server 2019 ^{33, 45}	✓ ⁴²	✓ ⁴²	✓ ⁴²	✓ ⁴²
Windows Server 2016 ^{33, 45}	✓ ⁴²	✓ ⁴²	✓ ⁴²	✓ ⁴²
Ubuntu Server Edition 20.04 LTS				
Ubuntu Server Edition 18.04 LTS				
Ubuntu Server Edition 16.04 LTS				
Microsoft Office				
Office 365 (Desktop/Click-to-run) (32-bit/64-bit)	✓			
Office 2021 (64-bit)	✓			
Office 2021 (32-bit)	✓	✓	✓	✓
Office 2019 (64-bit)	✓			
Office 2019 (32-bit)	✓	✓	✓	✓
Office 2016 (64-bit)	✓			
Office 2016 (32-bit)	✓	✓	✓	✓
Office 2013 (32-bit)	✓	✓	✓	✓
Database Servers				
Microsoft SQL Server 2019 (Enterprise/Standard Edition)	✓			
Microsoft SQL Server 2019 (Express Edition)	✓			
Microsoft SQL Server 2017 (Enterprise/Standard Edition)	✓			
Microsoft SQL Server 2017 (Express Edition)	✓			
Microsoft SQL Server 2016 (Enterprise/Standard Edition)	✓			
Microsoft SQL Server 2016 (Express Edition)	✓			
Microsoft SQL Server 2014 (Enterprise/Standard Edition)	✓			
Microsoft SQL Server 2014 (Express Edition)	✓			
SQL Server 2019 Local DB	✓ ¹²			
SQL Server 2014 -2019 Analysis Services				
PostgreSQL 13.2				
Oracle Database 19.x.x 64-bit				
Database Clients				

Suite	Manufacturing & Supply Chain Suite				
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)				
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic	
	Oracle Client 19.x 32-bit				
	Oracle Client 19.x 64-bit				
Oracle Client 18.x 32-bit					
Runtimes					
NET Framework 4.8	✓	✓	✓	✓	
.NET 6.0.3		✓	✓	✓	
Aspen AIoT Cloud libraries					
ASP.NET Core 6.0.3					
64-bit Oracle Java 17 JDK LTS					
64-bit Oracle Java 17 JDK LTS					
64-bit Oracle Java 11 JDK LTS					
64-bit Oracle Java 8 JDK LTS					
64-bit Oracle Java 8 JDK LTS					
32-bit AdoptOpenJDK Java 17 JRE LTS					
64-bit AdoptOpenJDK Java 17 JRE LTS					
32-bit AdoptOpenJDK Java 11 JRE LTS					
64-bit AdoptOpenJDK Java 11 JRE LTS					
64-bit AdoptOpenJDK Java 8 JRE LTS					
Python					
MSXML 6	✓				
Visual Studio 2022					
Visual Studio 2019					
Visual Studio 2017					
Visual Studio 2010 Tools for Office Runtime					
Microsoft Visual C++ Redistributable 2022		✓	✓	✓	
Microsoft Visual C++ Redistributable 2019					
Microsoft Visual C++ Redistributable 2017					
Virtualization					
Microsoft Hyper-V (Server)	✓	✓	✓	✓	
VMware ESXi Hypervisor Server 6.x (Server)	✓				
VMWare vSphere Enterprise Plus					
Microsoft Terminal Services (Desktop)					

Suite	Manufacturing & Supply Chain Suite				
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)				
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic	
	Citrix Virtual Apps and Desktops 7.1912 (Desktop)				
	Web Browsers				
	Microsoft Edge ²⁵	✓	✓	✓	✓
Google Chrome Evergreen Version 75+	✓	✓	✓	✓	
Firefox					
Chrome on iOS 14+ for iPad Support					
Safari on iOS 14+ for iPad Support					
Android 10+					
Security Components/Services					
Aspen Framework (AFW) 5					
TLS 1.2					
Java App (Servers)					
Apache Tomcat 9.x					
Native Web Servers					
IIS 10					
Reporting Services					
Microsoft Report Viewer 2015					
Microsoft SQL Server 2014/2016/2017/2019/ 2020/2022 Reporting Services					
Load Balancing					
F5 Load Balancing					
Integration Components					
Aspen Supply Chain Connect					
Informatica Powercenter 10.5.2					
Cloud Support *					
Azure VM (Microsoft)					
AWS VM (Amazon)					
Azure VM - Linux					
Azure Virtual Desktop (AVD) ²⁷					
AWS RDS (SQL)					
Azure SQL					
Deployment Tools					
SCCM					
Supported Versions of Fortran					
FORTTRAN 2021		✓	✓	✓	
Container Support					
Docker Engine-Enterprise 19.03.x					

Suite	Manufacturing & Supply Chain Suite				
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)				
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic	
	Docker Compose 1.26.x				
	Desktop Types - Minimum Recommended				
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 120 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps		✓		✓	
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 250 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps	✓				
Type III: Computer & processor: 4CPU >= 2.8GHz (turbo max 3.2 preferred) Memory (RAM in GB): 16 Hard Disk (GB): 100 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps					
Server Types - Minimum Recommended					
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM in GB): 16 + for standalone deployment, 32+ for multi-user environment Hard Disk (GB): 150 for standalone deployment, 300 for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps	✓		✓		
Type II: Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM in GB): 16 + Hard Disk (GB): 300 + Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps					
Type III: Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor Memory (RAM in GB): 32 or above gigabytes (GB) RAM Hard Disk (GB): 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100Mbps (gigabyte network recommended)					
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM in GB): 256Mb or more Hard Disk (GB): 100 GB or more					
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4 , Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network: Minimum: 50, Recommended: 100 Mbps					
Type VI Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): Minimum: 4 Hard Disk (GB): Minimum 50 . High IOPS drive, SSD preferred Network: 100 Mbps					
Type VII Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): 8 + Hard Disk (GB): 100 GB min. High IOPS drive, SSD preferred Network: 100Mbps					

Suite	Manufacturing & Supply Chain Suite			
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)			
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic
Type VIII Computer & processor: Intel Xeon E class processor or equivalent with 8 cores or higher Memory (RAM in GB): 12 or above gigabytes (GB) RAM Hard Disk (GB): 2000 min. High IOPS drive, SSD preferred Network: 200Mbps				
Type IX Single model environment: Computer & processor: 4 vCPU > + 2.8 GHz Memory (RAM in GB): 8+ Hard Disk (GB): 100 Network: 100Mbps				
Type X Single model environment: Computer & processor: 8 vCPU > + 3.2 GHz Memory (RAM in GB): 16+ Hard Disk (GB): 100 Network: 100Mbps				
Type XI Multiple models within single environment (max models <=10): Computer & processor: 4 vCPU > + 2.8 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 8+ (add 3GB per concurrent user) Hard Disk (GB): 100 (add .5GB per concurrent user) Network: 100Mbps				
Type XII Multiple models within single environment (max models <=10): Computer & processor: 8 vCPU > + 3.2 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 16 or above gigabytes (GB) RAM (add 4GB RAM per concurrent user) Hard Disk (GB): 100 GB min. (add .5GB per concurrent user) Network: 100Mbps				
Type XIII Supports 20 concurrent users: Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 64 Hard Disk: 100 Network: 10 Mbps				
Type XIV Supports 100 concurrent users: Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 32 Hard Disk (GB): 100 Network: 5 Mbps				
Type XV Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 32 Hard Disk (GB): 100Mbps				
Notes <p>* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.</p> <p>AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.</p> <p>Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.</p>	aspenONE Unified GDOT Builder, Aspen GDOT Offline, Aspen GDOT Online, Aspen GDOT Offline Classic			

Suite	Manufacturing & Supply Chain Suite			
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)			
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic
When running software on a virtual machine, the machine should meet the same requirements.				
AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.				
Your Aspen SLM Server must be installed and running prior to installing any V14 product.				
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.				
For SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.				
Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)				
A minimum of 10GB of free space is needed to install/upgrade products on the C drive.				
1 This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance				
2 EDR does not use any database servers. Deploys its own LocalDB database files.				
3 Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate the block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and Excel are fully supported by ABPD.				
4 When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required.				
5 When Exchanger Design and Rating is driven by Aspen Online using Local System Account, then SQL Express 2014 is required				
6 Aspen Modeler family supports FORTRAN compiler version 2020				
7 Oracle or AdoptOpenJDK Java is needed if the 3rd party scheduling application Primavera is used with Economic Evaluation (EE). Primavera is owned by Oracle and its API uses Java.				
8 Must be in compatibility mode for Aspen Process Sequencer				
9 See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.				
10 For new installations of APC Web Server, install IIS and JRE before installing APC Web Server				
11 CIM-IO Interfaces can be installed on 32-bit desktops				
12 This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance.				
14 Only Web Download Excel Add-in requires Excel.				
15 Users need to install both the 32-bit and 64-bit Oracle Clients 19.x for building and running reports				
16 Non-English OS's are not supported				
19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud				

Suite	Manufacturing & Supply Chain Suite			
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)			
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic
20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches installed on their machine.				
21 Office 365 - 32-bit support only				
22 Server-grade systems are not required but still supported.				
23 Browser Support as it relates to Knowledge Delivery only				
24 ATOMS Web does not support Oracle				
25 Only the version of MS Edge that uses the Google Chrome engine is supported				
26 Maestro supports Windows Server 2019 version 1809+				
27 WVD Certification Notes – 1. Publishing WVD apps to users local machine start menu not supported 2. Interoperability with 3rd party products only supported with Office 365 3. Aspen Properties Enterprise Database (APED) via SQL Server not supported 4. The following products have not been certified for WVD: ABE, ABPD, AVCA				
28 APEM does not support CDB-PDB database in Oracle 19. Weigh & Dispense Client 32-bit does not support Oracle				
29 SCCM support for APEX only				
30 APM Insights must be installed on the same server as AEI.				
31 When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAM per user. Performance will vary based on product and usage profiles. This can be considered a starting point for large multi-				
32 OptiPlant requires a graphic card which supports OpenGL 2.1				
33 Includes support for Windows Server Datacenter				
34 Browser support for AFO Connect				
35 Type II is the minimum recommended when IP.21 is used with Aspen Enterprise IP.21 Historian				
36 Small SLM Server				
37 Medium SLM Server				
38 Large SLM Server				
39 These applications can run on a desktop, but it is recommended to run models on a server and have users				
40 This Application Should be installed on a dedicated Web Server.				
41 Require db needs to be created in MS SQL using Mtel and then migrated to the target platform				
42 "Desktop Experience" installation of Windows Server. Windows Server installers present the option to install with or without "Desktop Experience". For GDOT, "Desktop Experience" is required.				
43 SQL is needed for 53D Layout. SQL versions 2014 and 2016 are supported by Hexagon				
44 Resolution no higher than 1920x1080				
45 Refer to the AspenTech Lifecycle Knowledge Base article to see a reference to the supported Windows Server upgrade path: https://esupport.aspentech.com/S_ProductLifecyclePolicy				
46 The selected product uses Java 11 JRE as Oracle do not have an option to download JRE, please use Oracle JDK download				

Suite	Manufacturing & Supply Chain Suite			
V14 Platform Specifications that are supported	Dynamic Optimization (GDOT)			
	aspenONE Unified GDOT Builder	Aspen GDOT for Offline	Aspen GDOT Online	Aspen GDOT Offline Classic

47 SQL Server 2014 does not support AT TIME ZONE functionality.. Due to this, Daylight Saving time will not be accounted for in the database views defined in Unified Scheduling Results database.

10/25/2022